


IPW

HEWLETT-PACKARD COMPANY
Legal Department, IPA Section, ms: 35
P O BOX 272400
3404 East Harmony Road
Fort Collins, CO 80528-9599

PATENT APPLICATION

Attorney Docket No: 10004251-4



IN THE
UNITED STATES PATENT AND TRADEMARK OFFICE

Inventors: Timothy D. Strecker Examiner: Frederick C. Nicolas

Application No: 10/717,139 Group Art Unit: 3754

Filing Date: November 18, 2003 Confirmation No: 7277

Title: MIXING ROTARY POSITIVE DISPLACEMENT PUMP FOR MICRO
DISPENSING

COMMISSIONER FOR PATENTS
PO Box 1450
Alexandria, VA 22313-1450

RESPONSE TO NOTICE OF DRAWING INCONSISTENCY

Dear Sir:

Please amend the above captioned application in accordance with the Notice of Drawing Inconsistency with the Specification.

Introductory comments begin on page 2.

Amendments to the Specification begin on page 3 of this paper.

Remarks begin on page 4 of this paper.

HEWLETT-PACKARD COMPANY
Legal Department, IPA Section, ms: 35
P O BOX 272400
3404 East Harmony Road
Fort Collins, CO 80528-9599

PATENT APPLICATION
Attorney Docket No: 10004251-4

INTRODUCTORY COMMENTS

The drawings filed 11-18-2003 were found have an inconsistency between the drawings and the Brief Description of the Drawings in the specification. In particular Figure 6c is contained in the Drawings but is not listed in the Brief Description of the Drawings in the specification.

O I P E
MAY 6 2005
PATENT & TRADEMARK OFFICE
**IN THE
UNITED STATES PATENT AND TRADEMARK OFFICE**

Inventor(s): Timothy D. Strecker
Application No.: 10/717139

Confirmation No.: 7277

Examiner: Frederick Nicolas

Filing Date: Nov 18, 2003

Group Art Unit: 3754

Title: Mixing Rotary Positive Displacement Pump For Micro Dispensing

Mail Stop Amendment
Commissioner for Patents
PO Box 1450
Alexandria, VA 22313-1450

TRANSMITTAL LETTER FOR RESPONSE/AMENDMENT

Sir:

Transmitted herewith is/are the following in the above-identified application:

- () Response/Amendment () Petition to extend time to respond
() New fee as calculated below () Supplemental Declaration
(X) No additional fee
(X) Other: Response to Notice of dwg inconsistency with spec (fee \$ _____)

CLAIMS AS AMENDED BY OTHER THAN A SMALL ENTITY						
(1) FOR	(2) CLAIMS REMAINING AFTER AMENDMENT	(3) NUMBER EXTRA	(4) HIGHEST NUMBER PREVIOUSLY PAID FOR	(5) PRESENT EXTRA	(6) RATE	(7) ADDITIONAL FEES
TOTAL CLAIMS		MINUS		= 0	X \$50	\$ 0
INDEP. CLAIMS		MINUS		= 0	X \$200	\$ 0
[] FIRST PRESENTATION OF A MULTIPLE DEPENDENT CLAIM				+ \$360	\$ 0	
EXTENSION FEE	1ST MONTH \$120.00	2ND MONTH \$450.00	3RD MONTH \$1020.00	4TH MONTH \$1590.00		\$ 0
OTHER FEES					\$	
TOTAL ADDITIONAL FEE FOR THIS AMENDMENT					\$	0

Charge \$ 0 to Deposit Account 08-2025. At any time during the pendency of this application, please charge any fees required or credit any overpayment to Deposit Account 08-2025 pursuant to 37 CFR 1.25. Additionally please charge any fees to Deposit Account 08-2025 under 37 CFR 1.16 through 1.21 inclusive, and any other sections in Title 37 of the Code of Federal Regulations that may regulate fees. ~~A duplicate copy of this sheet is enclosed.~~

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail in an envelope addressed to: Commissioner for Patents, Alexandria, VA 22313-1450.

Respectfully submitted,

Timothy D. Strecker

By 

Donald J. Coulman

Attorney/Agent for Applicant(s)
Reg. No. 50,406

Date: 5/3/05

Date of Deposit: 5/3/05

Typed Name: Donald J. Coulman

Signature: 